



Bibliographie de Kenshu Shimada

Shimada, K. 1986. [Elasmobranchs from the Early Pliocene Naarai Formation, Choshi City, Chiba Prefecture, Japan]; pp. 357-359, Twenty-ninth Japanese Students Science Prize Complete Works, Japan Home Teacher Center, Tokyo. [in Japanese]

Shimada, K. 1987. [Elasmobranchs from the Early Pliocene Naarai Formation, Choshi City, Chiba Prefecture, and from the Middle Miocene Tokigawa Group, Higashimatsuyama City, Saitama Prefecture, Japan]; pp. 354-357, Thirtieth Japanese Students Science Prize Complete Works, Japan Home Teacher Center, Tokyo. [in Japanese]

Sakamoto, O., M. Machida, T. Homma, T. Inoyama, S. Honna, and **K. Shimada**. 1988. Occurrence of the skeleton of Stegodon aurorae Matsumoto from Sasai, Sayama City, Central Japan. Bulletin of Saitama Museum of Natural History 6:33-44. [in Japanese with English abstract]

Shimada, K. 1992. [On a missing Archaeopteryx specimen and commercial collecting of fossils]. The Newsletter of the Association for the Geological Collaboration (Japan) [Sokuho: ISSN 0388-5208], 462:6-7. [in Japanese]

Shimada, K. 1993. Upper Cretaceous elasmobranchs from the Blue Hill Shale Member of the Carlile Shale, western Kansas. Abstract Missouri and Kansas Academies of Science, Kansas City, 13:78. [Abstract]

Shimada, K. 1993. Upper Cretaceous selachians from the Fort Hays Limestone of the Niobrara Formation in Ellis County, Kansas. Abstract Missouri and Kansas Academies of Science, Kansas City, 13:78. [Abstract]

Shimada, K., and D. J. Martin. 1993. Upper Cretaceous selachians from the basal Greenhorn Limestone in Russell County, Kansas. Abstract Missouri and Kansas Academies of Science, Kansas City, 13:78. [Abstract]

Shimada, K. 1993. Preliminary report on the Upper Cretaceous shark, *Cretoxyrhina mantelli*, from western Kansas. Journal of Vertebrate Paleontology, 13(Supplement to Number 3):57A. [Abstract]

Shimada, K. 1993. Jaws of the Upper Cretaceous shark, *Cretoxyrhina mantelli*, from western Kansas. Geological Society of America Abstracts with Programs, 25(6):58. [Abstract]

Shimada, K. 1994. Functional morphology of the dentition of the Late Cretaceous shark, *Cretoxyrhina mantelli*. Abstract Kansas Academy of Science, Topeka, 13:35. [Abstract]

Shimada, K. 1994. Occurrence of *Ptychodus whipplei* in Kansas and its potential diet. Abstract Kansas Academy of Science, Topeka, 13:35. [Abstract]

Shimada, K. 1994. Jaws of the Late Cretaceous shark, *Squalicorax kaupi*, from western Kansas. Journal of Morphology, 220(3):393. [Abstract]

Shimada, K., and N. Inuzuka. 1994. Desmostylian tooth remains from the Miocene Tokigawa Group at Kuzubukuro, Saitama, Japan. Transactions and Proceedings of Palaeontological Society of Japan, N.S., 175:553-577.

Shimada, K. 1994. Scales of the Late Cretaceous shark, *Cretoxyrhina mantelli*, from western Kansas. *Journal of Vertebrate Paleontology*, 14(Supplement to Number 3):46A. [Abstract]

Shimada, K. 1994. Paleobiology of the Late Cretaceous shark, *Cretoxyrhina mantelli* (Lamniformes: Cretoxyrhinidae), from Kansas. Unpublished M.S. thesis, Fort Hays State University, Hays, Kansas, 169 pp.

Everhart, M. J., P. A. Everhart, and **K. Shimada**. 1995. A new specimen of shark bitten mosasaur vertebrae from the Smoky Hill Chalk (Upper Cretaceous) in western Kansas. Abstract Kansas Academy of Science, Pittsburg, 14:19. [Abstract]

Fishman, S. E., **K. Shimada**, and C. Fielitz. 1995. Stratigraphic record of the Late Cretaceous genus *Enchodus* (Osteichthyes: Teleostei), in Kansas. Abstract Kansas Academy of Science, Pittsburg, 14:21. [Abstract]

Shimada, K. 1995. Skeletal anatomy of the Late Cretaceous shark, *Cretoxyrhina mantelli*. *Journal of Vertebrate Paleontology*, 15(Supplement to Number 3):53A. [Abstract]

Fishman, S. E., C. Fielitz, and **K. Shimada**. 1995. Stratigraphic record of the Late Cretaceous genus *Enchodus* (Osteichthyes: Teleostei), in Kansas. *Journal of Vertebrate Paleontology*, 15(Supplement to Number 3):28A. [Abstract]

Shimada, K. 1996. Selachians from the Fort Hays Limestone Member of the Niobrara Chalk (Upper Cretaceous), Ellis County, Kansas. *Transactions of Kansas Academy of Science*, 99(1-2):1-15.

Shimada, K. 1996. Ichthyosaur (Reptilia: Ichthyosauria) vertebra from the Kiowa Shale (Lower Cretaceous: Upper Albian), Clark County, Kansas. *Transactions of Kansas Academy of Science*, 99(1-2):39-44.

Shimada, K. 1996. Gigantic lamnid shark vertebra from the Kiowa Shale (Lower Cretaceous) of Kansas. *Journal of Vertebrate Paleontology*, 16(Supplement to Number 3):65A. [Abstract]

Shimada, K. 1997. Periodic marker bands in vertebral centra of the Late Cretaceous lamnid shark, *Cretoxyrhina mantelli*. *Copeia*, 1997(1):233-235.

Liggett, G. A., S. C. Bennett, K. Shimada, and J. Huenergarde. 1997. A Late Cretaceous (Cenomanian) fauna in Russell County, Kansas. Abstract Kansas Academy of Science, 16:26. [Abstract]

Shimada, K. 1997. Gigantic lamnid shark vertebra from the Lower Cretaceous Kiowa Shale of Kansas. *Journal of Paleontology*, 71(3):522-524.

Shimada, K. 1997. Dentition of the Late Cretaceous lamnid shark, *Cretoxyrhina mantelli*, from the Niobrara Chalk of Kansas. *Journal of Vertebrate Paleontology*, 17(2):269-279.

Shimada, K. 1997. Preservation of tooth sets in the fossil record of sharks. *Journal of Vertebrate Paleontology*, 17(Supplement to Number 3):75A-76A. [Abstract]

Shimada, K. 1997. Paleoecological relationships of the Late Cretaceous lamnid shark, *Cretoxyrhina mantelli* (Agassiz). *Journal of Paleontology*, 71(5):926-933.

Shimada, K. 1997. Shark-tooth-bearing coprolite from the Carlile Shale (Upper Cretaceous), Ellis County, Kansas. *Transactions of Kansas Academy of Science*, 100(3-4):133-138.

Shimada, K. 1997. Stratigraphic record of the Late Cretaceous lamniform shark, *Cretoxyrhina mantelli* (Agassiz), in Kansas. *Transactions of Kansas Academy of Science*, 100(3-4):139-149.

Shimada, K. 1997. Skeletal anatomy of the Late Cretaceous lamniform shark, *Cretoxyrhina mantelli*, from the Niobrara Chalk in Kansas. *Journal of Vertebrate Paleontology*, 17(4):642-652.

Shimada, K. 1998. Dental homology in macrophagous lamniform sharks. *Journal of Vertebrate Paleontology*, 18(Supplement to Number 3):77A. [Abstract]

Fielitz, C., and **K. Shimada**. 1999. A new species of *Bananogmius* (Teleostei: Tsselfatiformes) from the Upper Cretaceous Carlile Shale of western Kansas. *Journal of Paleontology*, 73(3):504-511.

Shimada, K. 1999. Dentitions of lamniform sharks: homology, phylogeny, and paleontology. Unpublished Ph.D. thesis, University of Illinois at Chicago, 486 pp.

Shimada, K. 1999. Kenshu Shimada [autobiography]. *Society of Vertebrate Paleontology, News Bulletin*, (176):28-29.

Shimada, K. 1999. Contribution of dental characters to elucidate the phylogeny of lamniform sharks. *Journal of Vertebrate Paleontology*, 19(Supplement to Number 3):75A-76A. [Abstract]

Shimada, K. 2000. Skeletal anatomy of the Late Cretaceous shark, *Squalicorax falcatus*. *Journal of Vertebrate Paleontology*, 20(Supplement to Number 3):69A. [Abstract]

Shimada, K. 2001. Notes on the dentition of the bigeye sandtiger shark, *Odontaspis noronhai* (Lamniformes: Odontaspidae). *Journal of Fossil Research*, 34(1):15-17.

Shimada, K., and D. J. Cicimurri. 2001. The total length of the Late Cretaceous shark, *Squalicorax* (Anacoracidae). *Journal of Vertebrate Paleontology*, 21(Supplement to Number 3):101A. [Abstract]

Shimada, K. 2001. On the concept of heterodonty. *Journal of Fossil Research*, 34(2):52-54.

Shimada, K., and G. Hubbell. 2001. Identity of small symmetrical teeth of the Late Cretaceous lamniform shark, *Cretoxyrhina mantelli*, from western Kansas, U.S.A. *Journal of Fossil Research*, 34(2):55-57.

Shimada, K. 2002. Dental homologies in lamniform sharks (Chondrichthyes: Elasmobranchii). *Journal of Morphology*, 251:38-72.

Shimada, K. 2002. Teeth of embryos in lamniform sharks (Chondrichthyes: Elasmobranchii). *Environmental Biology of Fishes*, 63:309-319.

Hamm, S. A., and **K. Shimada**. 2002. The first associated tooth set of the Late Cretaceous lamniform shark, *Scapanorhynchus raphiodon* (Mitsukurinidae) from the Niobrara Chalk of western Kansas. *Transactions of Kansas Academy of Science*, 105(1-2):18-26.

Schumacher, B. A., and **K. Shimada**. 2002. A new specimen of the Late Cretaceous teleostean fish, *Thryptodus*, from central Kansas, and its stratigraphic significance. Abstract *Kansas Academy of Science, Hays*, 21:47. [Abstract]

Hamm, S. A., and **K. Shimada**. 2002. The first associated tooth set of the extinct goblin shark, *Scapanorhynchus raphiodon*, from the Niobrara Chalk of western Kansas. Abstract Kansas Academy of Science, Hays, 21:32. [Abstract]

Shimada, K. 2002. Dentition of the modern basking shark, *Cetorhinus maximus* (Lamniformes: Cetorhinidae), and its paleontological and evolutionary implications. Journal of Fossil Research, 35(1):1-5.

Shimada, K. 2002. Relationship between the tooth size and total body length in the shortfin mako, *Isurus oxyrinchus* (Lamniformes: Lamnidae). Journal of Fossil Research, 35(2):6-9.

Shimada, K., M. J. Everhart, and G. E. Hooks, III. In press. Ichthyodectid fish and protostegid turtle bitten by the Late Cretaceous lamniform shark, *Cretoxyrhina mantelli*. Journal of Vertebrate Paleontology, 22(Supplement to Number 3). [Abstract]

Hanks, D. H., and **K. Shimada**. In press. Vertebrate fossils, including non-avian dinosaur remains and the first shark-bitten bird bone from a Late Cretaceous (Turonian) marine deposit of northeastern South Dakota. Journal of Vertebrate Paleontology, 22(Supplement to Number 3). [Abstract]

Shimada, K., and B. A. Schumacher. In press. The oldest record of the Late Cretaceous fish genus *Thryptodus* (Teleostei: Tselfatiiformes) from central Kansas. Transactions of Kansas Academy of Science. Transactions of Kansas Academy of Science.

Parkin, J. A., J. M. Palermo, **K. Shimada**, and B. A. Schumacher. In press. Fossil fishes from the lowermost Greenhorn Limestone (Upper Cretaceous: Middle Cenomanian) in southeastern Colorado. Geological Society of America Abstracts with Programs. [Abstract]

Palermo, J. M., J. A. Parkin, **K. Shimada**, and B. A. Schumacher. In press. Prospecting fossils from a distance: a strategy for paleontological resource management and education. Geological Society of America Abstracts with Programs. [Abstract]

Shimada, K., and M. J. Everhart. Submitted. Shark-bitten *Xiphactinus audax* (Teleostei: Ichthyodectiformes) from the Niobrara Chalk (Upper Cretaceous) of Kansas.

Shimada, K., and M. J. Everhart. Submitted. *Ptychodus mammillaris* (Elasmobranchii) and *Enchodus* cf. *E. schumardi* (Teleostei) from the Fort Hays Limestone Member of the Niobrara Chalk (Upper Cretaceous) in Ellis County, Kansas.

Shimada, K., and G. E. Hooks, III. Submitted. Shark-bitten protostegid turtles from the Mooreville Formation (Upper Cretaceous) of Alabama.

Shimada, K., and J. F. Seigel. In preparation. Tooth morphometry of the modern goblin shark, *Mitsukurina owstoni* Jordan (Lamniformes: Mitsukurinidae).

Shimada, K., and D. J. Cicimurri. In preparation. Skeletal anatomy of *Squalicorax* (Neoselachii: Anacoracidae) based on specimens from Upper Cretaceous deposits of the Western Interior Seaway, North America.

Shimada, K., J. A. Parkin, J. M. Palermo, and B. A. Schumacher. In preparation. Marine vertebrates from the basal Greenhorn Limestone (Upper Cretaceous: Middle Cenomanian) in Comanche National Grassland, Las Animas County, Colorado.

Liggett, G. A., C. S. Bennett, and **K. Shimada**. In preparation. A marine reptile fauna from the basal Greenhorn Limestone, Russell County, Kansas.

Blanco-Piñón, A., and **K. Shimada**. In preparation. Late Cretaceous lamniform sharks from the Vallecillo Lagerstätten, northeastern Mexico.

Shimada, K.. In preparation. Phylogeny of lamniform sharks (Chondrichthyes: Elasmobranchii) and the contribution of dental characters to lamniform systematics.

Shimada, K.. In preparation. A new look at periodic marker bands in vertebral centra of the Late Cretaceous lamniform shark, *Cretoxyrhina mantelli*: a possible method to infer the pattern of ontogenetic development and total length of extinct sharks.

Shimada, K.. In preparation. Fossil fishes from the Blue Hill Shale Member of the Carlile Shale (Middle Turonian), Ellis County, Kansas.

Shimada, K., M. J. Everhart, D. J. Cicimurri, S. A. Hamm, P. Druckenmiller, and C. Fielitz. In preparation. Spatial and temporal distributions of the feeding evidence of the shark genus *Squalicorax* (Elasmobranchii: Anacoracidae) in the Late Cretaceous marine deposits of North America.

Shimada, K.. In preparation. Dental pattern of the Late Cretaceous shark genus *Ptychodus* (Chondrichthyes: Elasmobranchii) with special reference to species from the Niobrara Chalk of western Kansas.

Shimada, K.. In preparation. *Coniasaurus* Owen (Reptilia: Squamata) from the Niobrara Chalk (Upper Cretaceous) of western Kansas.

Shimada, K., and M. J. Everhart. In preparation. Taxonomic review of the Late Cretaceous teleostean genus *Martinichthys* (Tselfatiiformes).

Shimada, K., and B. A. Schumacher. In preparation. Turonian mosasauroids (Reptilia: Squamata) from the Late Cretaceous of Kansas.

Shimada, K., G. A. Liggett, and D. J. Martin. In preparation. Ichthyofauna of the basal Greenhorn Limestone (Upper Cretaceous: Middle Cenomanian) in Russell County, Kansas.

Shimada, K.. In preparation. A “bone-bed” layer in the Smoky Hill Chalk Member of the Niobrara Chalk (Upper Cretaceous), western Kansas.

Shimada, K.. In preparation. Fossil fishes from the upper Greenhorn Limestone (Upper Cretaceous: “early” Turonian) of Kansas.

Shimada, K., and M. J. Everhart. In preparation. A new skeletal specimen of the Late Cretaceous lamniform shark, *Cretoxyrhina mantelli* from the Niobrara Chalk of western Kansas.