

- Anonymous (1996): Fossile Krokodile aus Eckfeld. Naturhistorisches Museum Mainz - Fossil des Monats September: 1-3
- BARDET N. & HUA S. (1996): *Simolestes nowackianus* Huene, 1938 from the Upper Jurassic of Ethiopia is a teleosaurid crocodile, not a pliosaur. N.Jb.Geol.Paläont.Mh. 1996(2): 65-71
- BENTON M.J. (1990): Vertebrate Palaeontology. Harper Collins Academic, London, 377pp.
- BENTON M.J. & CLARK J.M. (1988): Archosaur phylogeny and the relationships of the Crocodylia. In: BENTON M.J. (ed.), The Phylogeny and Classification of the Tetrapods, Volume 1: Amphibians, Reptiles, Birds, Syst.Assoc. Spec.Vol. 35A, pp. 295-338
- BERG D.E. (1964): Krokodile als Klimazeugen. Geol.Rdschau. 54: 328-333
- BERG D.E. (1966): Die Krokodile insbesondere *Asiatosuchus* und aff.*Sebecus*?, aus dem Eozän von Messel bei Darmstadt/Hessen. Abh.hess.L.-Amt Bodenforsch. 52: 105p
- BERG D.E. (1967): Aquitane Krokodile vom "Hessler" (Wiebaden-Biebrich) und anderen rheinhessischen Fossilfundstellen. Mz.Naturw.Arch. 5/6: 186-193
- BERG D.E. (1969): *Charactosuchus kugleri*, eine neue Krokodilart aus dem Eozän von Jamaica. Ecl.geol.Helv. 62(2): 731-735
- BERG D.E. (1969): Characteristic Crocodiles of the Paleogene in Europe. Mem.B.R.G.M. 69: 73-75
- BERG D.E. (1971): Oligozäne Vertreter der alligatorinen Krokodilgattung *Diplocynodon*. Abh.hess.L.-Amt Bodenforsch. 60: 25-30
- BERG D.E. & CRUSAFONT M. (1970): Note sur quelques Crocodiliens de l'Eocène préparénaïque. Act.Geol.Hisp. 5(2): 54-57
- BRINKMANN W. (1992): Die Krokodilier-Fauna aus der Unter-Kreide (Ober-Barremium) von Uña (Provinz Cucena, Spanien). Berliner geowiss.Abh. E 5: 123p
- BROCHU C.A. (1995): Phylogenetic relationships of basal eusuchians and the origin of *Crocodylus*. J.Vert.Paleont. 15(3, Suppl.): 20A
- BROCHU C.A. (1996): Closure of neurocentral sutures during crocodylian ontogeny: Implications for maturity assessment in fossil archosaurs. J.Vert.Paleont. 16(1): 49-62
- BROCHU C.A. (1996): Fossils as pruning shears: branch length and the phylogenetic systematics of Crocodylia. J.Vert.Paleont. 16(3, Suppl.): 24A
- BROCHU C.A. (1997): Synonymy, redundancy, and the name of the crocodile stem-group. J.Vert.Paleont. 17(2): 448-449
- BROCHU C.A. (1997): A review of „*Leidosuchus*“ (Crocodyliformes, Eusuchia) from the Cretaceous through Eocene of North America. J.Vert.Paleont. 17(4): 679-697

BUCKLEY G.A. & BROCHU C.A. (1996): Campanian (Upper Cretaceous) crocodyliformes from Madagascar and their biogeographic implication. *J.Vert.Paleont* 16(3, Suppl.): 24A

BROCHU C. (1997): Phylogeny, Systematics, and Historical Biogeography of Alligatoroidea. *J.Vert.Paleont.* 17 (3, Suppl.): 34A

BUCKLEY G.A., BROCHU C. & KRAUSE D.W. (1997): Hyperdiversity and the Paleobiogeographic Origins of the Late Cretaceous Crocodyliformes of Madagascar. *J.Vert.Paleont.* 17 (3, Suppl.): 35A

BUFFETAUT E. (1985): The place of Gavialis and Tomistoma in eusuchian evolution: a reconciliation of palaeontological and biochemical data. *N.Jb.Geol.Paläont.Mh.* (12): 707-716

BUFFETAUT E. (1988): The Ziphodont Mesosuchian Crocodile from Messel: A Reassessment. In: FRANZEN J.L. & MICHAELIS W. (Eds.), *Der eozäne Messelsee - Eocene Lake Messel.*, Courier Forsch.linst. Senckenberg, 107: 211-221

BUSBY III A.B. (1989): Form and Function of the Feeding Apparatus of Alligator mississippiensis. *J.Morph.* 202: 99-127

BUSBY A.B. (1995): The structural consequence of skull flattening in crocodylians. In: THOMASON J.J. (Ed.), *Functional Morphology in Vertebrate Paleontology*, Cambridge University Press, pp. 173-192

BUSCALIONI A.D., ORTEGA F., PÉREZ-MORENO B.P. & EVANS S.E. (1996): The Upper Jurassic maniraptorian theropod *Lisboasaurus estesi* (Guimarota, Portugal) reinterpreted as a crocodylomorph. *J.Vert.Paleont.* 16(2): 358-362

CARROLL R.L. (1988): *Vertebrate Paleontology and Evolution*. W.H.Freeman and Company, New York, 698pp.

CLARK J.M., JACOBS L.L. & DOWNS W.R. (1989): Mammal-Like Dentition in a Mesozoic Crocodylian. *Science* 244: 1064-1066

CLEUREN J. & DE VREE F. (1992): Kinematics of the Jaw and Hyolingual Apparatus during Feeding in Caiman crocodylius. *J.Morph.* 212: 141-154

CUVIER M. (1812): *Recherches sur les Ossiments Fossiles: Sur les différentes espèces de crocodiles vivans et sur leur caractères distinctes*. 264-303, Paris

CUVIER M. (1812): *Recherches sur les Ossiments Fossiles: Observations sur l'ostéologie des crocodiles vivans*. 304-329, Paris

CUVIER M. (1812): *Recherches sur les Ossiments Fossiles: Sur les ossemens fossiles de crocodiles, et particulièrement sur ceux des environs du Havre et de Honfleur, avec des remarques sur les squelettes de sauriens de la Thuringe*. 330-367, Paris

DAUPHIN Y. (1988): L'Email Dentaire des Reptiles Actuels et Fossiles: Repartition de la Structure Primative, son Role, ses Implications. *Palaeontographica Abt.A* 203(4-6): 171-184

DAUPHIN Y. (1989): Composition chimique des dents de reptiles - 1. Crocodiliens actuels et fossiles. *Palaeontographica Abt.A* 207(4-6): 147-160

- DE BEER G. R. (1985): The Development of the Vertebrate Skull. Chicago University Press, Chicago, 554pp.
- DEEMING D.C. & FERGUSON M.W.J. (1989): The Mechanism of Temperature Dependant Sex Determination in Crocodilians. *Amer.Zool.* 29: 973-985
- DENSMORE III L.D. (1983): Biochemical and Immunological Systematics of the Order Crocodilia. *Evol.Biol.* 16: 397-465
- EDINGER T. (1961): Fossil brains reflect specialized behaviour. *World Neurology* 2(11): 934-941
- EDMUND A.G. (1957): On the special foramina in the jaws of many ornithischian dinosaurs. *Contr.Roy.Ontario Mus., Div.Zool.Paleont.* 48: 1-14
- EDMUND A.G. (1960): Tooth replacement phenomena in the lower vertebrates. *Roy.Ontario Mus. Life Sci.Div.Contr.* 52: 1-190
- EDMUND A.G. (1962): Sequence and Rate of Tooth Replacement in the Crocodilia. *Roy.Ontario Mus.Life Sci.Div.Contr.* 56: 1-42
- EDMUND A.G. (1969): Dentition. In: GANS C. (Ed.), *Biology of the Reptilia - Volume 1: Morphology A*, Academic Press, pp. 117-200
- ERICKSON G.M. (1996): Assessing Tooth Replacement Rates in Alligators using Incremental Line Counts. *Am.Zool.* 35(5): 119 ERICKSON G.M. (1996): Daily deposition of dentine in juvenile *Alligator* and assessment of tooth replacement rates using incremental line counts. *J.Morph.* 228(2): 189-194
- ERICKSON G.M. (1996): Toothlessness in American Alligators, *Alligator mississippiensis*. *Copeia* 1996(3): 739-746
- FERGUSON M.W.J. (1984): Craniofacial Development in *Alligator mississippiensis*. *Symp.Zool.Soc.Lond.* 52: 223-273
- FORIR M. (1997): A goniopholid crocodile from the Cretaceous Chronister local fauna of Bollinger Co., Missouri. *J.Vert.Paleont.* 17 (3, Suppl.): 46A
- FREY E. (1988): Das Tragsystem der Krododile - eine biomechanische und phylogenetische Analyse. *Stuttgarter Beitr.Naturk. Ser.A* 426: 1-60
- FREY E., RIEß J. & TARSITANO S.F. (1989): The Axial Tail Musculature of Recent Crocodiles and Its Phyletic Implications. *Am.Zool.* 29: 857-862
- GALTON P.M. & WALKER A.D. (1996): Supposed prosauropod dinosaurs from Middle Triassic of England referred to Parasuchia and Dinosaurioformes. *N.Jb.Geol.Paläont.Mh.* 1996(12): 727-738
- GANS C. & CLARK B. (1976): Studies on the Ventilation of Caiman crocodilus (Crocodilia: Reptilia). *Resp.Phys.* 26: 285-301

- GATESY S.M. (1997): An Electromyographic Analysis of Hindlimb Function in *Alligator* During Terrestrial Locomotion. *J.Morph.* 234: 197-212
- GEIST N.R. & JONES T.D. (1995): Long bone epiphyseal structure in juvenile ratites, crocodilians and dinosaurs. *J.Vert.Paleont.* 15(3, Suppl.): 31A
- GOMANI E.M. (1997): A crocodyliform from the Early Cretaceous Dinosaur Beds, northern Malawi. *J.Vert.Paleont.* 17(2): 280-294
- GOWER D. (1997): Braincase morphology in the most recent common ancestor of crocodiles and birds. *J.Morph.* 232(3): 259
- HEAD J.J. (1997): Pristichampsines from the Upper Miocene of Pakistan? Reptiles of the Dhok Pathan Formation. *J.Vert.Paleont.* 17 (3, Suppl.): 51A-52A
- HECHT M.K. & MALONE B. (1972): On the early history of the gavialid crocodilians. *Herpetologica* 28(3): 281-284
- HECHT M.K. & TARSITANMO S.F. (1983): On the cranial morphology of the Protosuchia, Notosuchia and Eusuchia. *N.Jb.Geol.Paläont.Mh.* (11): 657-668
- HUA S. & DE BUFFRENIL V. (1996): Bone histology as a clue in the interpretation of functional adaptations in the Thalattosuchia (Reptilia, Crocodylia). *J.Vert.Paleont.* 16(4): 703-717
- HUENE F. VON (1956): Zur Frage von Pubis und Praepubis bei Reptilien. *Paläont.Z.* 30(3/4): 169-170
- HUNT A.P. & LOCKLEY M.G. (1995): A nonmarine tetrapod from the Middle Jurassic of the United States: a primitive crocodyliform from the Entrada Sandstone of eastern Utah. *J.Vert.Paleont.* 15(3): 554-560
- IODANSKY N.N. (1973): The Skull of the Crocodylia. In: GANS C. & PARSONS T.S. (eds), *Biology of the Reptilia*, Vol.4: Morphology D, 201-262
- JACKSON K., BUTLER D.G. & YOUSON J.H. (1996): Morphology and Ultrastructure of Possible Integumentary Sense Organs in the Estuarine Crocodile (*Crocodylus porosus*). *J.Morph.* 229: 315-324
- KEENE H.J. (1991): Of Heterochrony in Heterodonty: A Review of Some Problems in Tooth Morphogenesis and Evolution. *Yearbook Phys.Anthropol.* 34: 251-282
- KIESER J.A., KLAPSIDIS C., LAW L. & MARION M. (1993): Heterodonty and Patterns of Tooth Replacement in *Crocodylus niloticus*. *J.Morph.* 218: 195-201
- KIRKLAND J.I. (1994): Predation of dinosaur nests by terrestrial crocodilians. In: CARPENTER K., HIRSCH K.F. & HORNER J.R. (eds.), *Dinosaur Eggs and Babies*, Cambridge University Press, pp. 124-133
- KLEMBARA J. (1991): The cranial Anatomy of early ontogenetic Stages of *Alligator mississippiensis* (Daudin, 1802) and the significance of some of its cranial Structures for the Evolution of the Tetrapods. *Palaeontographica Abt. A* 215(4-6): 103-171

- KLEMBARA J. (1997): New record of postparietal bone in *Alligator mississippiensis*. J.Morph. 232(3): 276
- KOHRING R. & HIRSCH K.F. (1996): Crocodilian and avian eggshells from the Middle Eocene of the Geiseltal, Eastern Germany. J.Vert.Paleont. 16(1): 67-80
- KRAUS R. (1996): *Piscogavialis jugaliperforatus* n.gen., n.sp., ein neuer Gavialidae aus der Pisco-Formation. Dipl.Arb. Johannes Gutenberg-Universität Mainz, 119S.
- KRAUS R. (1997): Kiefermechanik longirostriner Krokodile. Terra Nostra 97/7: 7-8
- LANGSTON JR. W. (1973): The Crocodilian skull in Historical Perspective. In: GANS C. & PARSONS T.S. (eds), Biology of the Reptilia, Vol.4: Morphology D, 263-284
- LARSSON H.C.E. (1997): Ontogeny and phylogenetic character correlation: cladistics and von Baer form an alligator's perspective. J.Vert.Paleont. 17 (3, Suppl.): 59A
- LIEBIG K., FREY E., THEOBALD G. & WILLIS P.M.A. (1996): Taphonomy of crocodilians from the Eocene Lake Messel (Darmstadt, Germany) with implications from the sedimentary environment. N.Jb.Geol.Paläont.Abh. 199(2): 269-293
- MARWICK P.J. (1994): "Equability," continentality, and Tertiary "climate": The crocodilian perspective. Geology 22: 613-616
- MASSARE J.A. (1987): Tooth Morphology and Prey Preference of Mesozoic Marine Reptiles. J.Vert.Paleont. 7(2): 121-137
- MEERS M.B. (1996): Three-dimensional morphometrics of humeral articular shape can be used to infer locomotor habits in crocodilians. J.Vert.Paleont. 16(3, Suppl.): 52A
- MOLNAR R.E. & WILLIS P.M.A. (1996): A neosuchian crocodile from the Queensland Cretaceous. J.Vert.Paleont. 16(3, Suppl.): 54A
- MONTEIRO L.R., CAVALCANTI M.J. & SOMMER III H.J.S. (1997): Comparative Ontogenetic Shape Changes in the Skull of *Caiman* Species (Crocodylia, Alligatoridae). J.Morph. 231: 53-62
- MORLO M. (in press): Zur Zahnphylogenie der Wirbeltiere - ein systematischer Überblick. In: ALT K.W. & TÜRP J.C. (eds.), Phylogenie der Zähne
- MÜLLER A.H. (1985): Lehrbuch der Paläozoologie - Bd.III, Vertebraten, Teil 2: Reptilien und Vögel. VEB Gustav Fischer Verlag, Jena, 665pp.
- MÜLLER G.B. & ALBERCH P. (1990): Ontogeny of the Limb Skeleton in *Alligator mississippiensis*: Developmental Invariance and Change in the Evolution of Archosaur Limbs. J.Morph. 203: 151-164
- PARRIS D.C., GRANTSTAFF B.F., DENTON R.H. Jr. & DOBY J.L. (1997): *Diplocynodon* (Alligatorinae) in the Cretaceous of eastern North America. J.Vert.Paleont. 17 (3, Suppl.): 69A
- PARRISH J.M. (1987): The origin of crocodilian locomotion. Paleobiology 13(4): 396-414

PARRISH J.M. (1993): Phylogeny of the crocodylotarsi, with reference to archosaurian and crurotarsan monophyly. *J.Vert.Paleont.* 13(3): 287-308

PERRY S.F. (1989): Morphometry of crocodilian lungs. *Fortschritte der Zoologie* 35: 546-549

POOLE D.F.G. (1961): Notes on Tooth Replacement in the Nile Crocodile *Crocodylus niloticus*. *Proc.Zool.Soc.Lond.* 136: 131-140

RAUHE M. (1995): Die Lebensweise und Ökologie der Geiseltal-Krokodilier - Abschied von traditionellen Lehrmeinungen. *Hallesches Jahrb. Geowiss.* B17: 65-80

RAUHE M. & ROSSMANN T. (1995): News about fossil crocodiles from the Middle Eocene of Messel and Geiseltal, Germany. *Hallesches Jahrb. Geowiss.* B17: 81-92

RICQLES A.J. de (1976): On the bone histology of fossil and living reptiles, with comments on its functional and evolutionary significance. *Linn.Soc.Symp.Ser.* 3: 123-151

RIEPEL O. (1993): Studies on skeleton formation in reptiles. V. Patterns of ossification in the skeleton of *Alligator mississippiensis* Daudin (Reptilia, Crocodylia). *Zool.J.Linn.Soc.* 109: 301-325

ROMER A.S. (1956): *Osteology of Reptiles.* The University of Chicago Press, Chicago, 772pp.

RASSKIN-GUTMAN D. & BUSCALIONI A.D. (1997): Connectivity patterns using graph models in the crocodilian limb. *J.Morph.* 232(3): 313

RUSSELL A.P. & WU X.-C. (1997): The Crocodylomorpha at and between geological boundaries: the Baden-Powell approach to change. *J.Morph.* 232(3): 318

SANDER M. (1994): *Reptilien.* Enke, Stuttgart, 226pp.

SAITTA D. (1995): Crocodilian and avian homologies to the functional morphology of *Allosaurus fragilis*. *J.Vert.Paleont.* 15(3, Suppl.): 51A

SATO I., SHIMADA K., SATO T. & KITAGAWA T. (1992): Histochemical Study of Jaw Muscle Fibers in the American Alligator (*Alligator mississippiensis*). *J.Morph.* 211: 187-199

SATO I., SHIMADA K., YOKOI A., HANDAL J.C., ASUWA N. & ISHII T. (1990): Morphology of the Teeth of the American Alligator (*Alligator mississippiensis*): Fine Structure and Chemistry of Enamel. *J.Morph.* 205: 165-172

SCHUMACHER G.-H. (1973): The Head Muscles and Hyolaryngeal Skeleton of Turtles and Crocodilians. In: GANS C. & PARSONS T.S. (eds.), *Biology of the Reptilia*, Vol. 4, Academic Press, pp. 101-199

SCHWIMMER D.R. & WILLIAMS G. (1996): New specimens of *Deinosuchus rugosus*, and further insights into chelonivory by Late Cretaceous eusuchian crocodiles. *J.Vert.Paleont.* 16(3, Suppl.): 64A

SHIMADA K., SATO I. & EZURE H. (1993): Morphological Analysis of Tendinous Structure in the American Alligator Jaw Muscles. *J.Morph.* 217: 171-181

SHIMADA K., SATO I. & MORIYAMA H. (1992): Morphology of the Tooth of the American Alligator (*Alligator mississippiensis*): The Fine Structure and Elemental Analysis of the Cementum. *J.Morph.* 211: 319-329

SIDOR C.A. & LARSSON H.C.E. (1997): Unusual crocodylomorph teeth from the Kem Kem Beds (late Cretaceous: Cenomanian) of southeastern Morocco. *J.Vert.Paleont.* 17(3, Suppl.): 76A

SMITH H.M. (1958): Evolutionary Lines in Tooth Attachment and Replacement in Reptiles: Their Possible Significance in Mammalian Dentition. *Trans.Kans.Acad.Sci.* 61(2): 216-225

SUES H.-D. & SUN A.-L. (1995): An unusual new crocodyliform reptile from the Lower Cretaceous of Hubei Province, China. *J.Vert.Paleont.* 15(3, Suppl.): 55A

SUES H.-D., SHUBIN N.H., OLSEN P.E. & AMARAL W.W. (1996): On the cranial structure of a new protosuchid (Archosauria: Crocodyliformes) from the McCoy Brook Formation (Lower Jurassic) of Nova Scotia. *J.Vert.Paleont.* 16(1): 34-41

TEICHMÜLLER M. (1988): Zur chemischen und mikroskopischen Zusammensetzung vermutlicher Krokodil-Koprolithe aus dem eozänen Ölschiefer von Messel. In: FRANZEN J.L. & MICHAELIS W. (Eds.), *Der eozäne Messelsee - Eocene Lake Messel.*, Courier Forsch.Inst. Senckenberg, 107: 147-161

WESTERGAARD B. & FERGUSON M.W.J. (1986): Development of the dentition in *Alligator mississippiensis*. Early embryonic development in the lower jaw. *J.Zool.* A 210: 575-597

WESTERGAARD B. & FERGUSON M.W.J. (1987): Development of the dentition in *Alligator mississippiensis*. Later development in the lower jaws of embryos, hatchlings and young juveniles. *J.Zool.* 212: 191-222

WESTERGAARD B. & FERGUSON M.W.J. (1990): Development of the dentition in *Alligator mississippiensis*. Upper jaw dental and craniofacial development in embryos, hatchlings and young juveniles with a comparison to lower jaw development. *Am.J.Anat.* 187(4): 393-421

WEISHAMPEL D.B. (1991): A Theoretical Morphological Approach to Teeth Replacement in Lower Vertebrates. In: SCHMIDT-KITTLER N. & VOGEL K. (eds.), *Constructional Morphology and Evolution*, Springer Verlag, pp. 295-310

WILLIAMSON T.E. (1996): *?Brachychampsa sealeyi*, sp. Nov., (Crocodylia, Alligatoroidea) from the Upper Cretaceous (lower Campanian) Menefee Formation, northwestern New Mexico. *J.Vert.Paleont.* 16(3): 421-431

WINDOLF R. (1994): Krokodilreste aus dem Mittleren Eozän des Eckfelder Maares bei Manderscheid, Deutschland. In: NEUFFER F.O., GRUBER G. & LUTZ H. (Eds.), *Fossilagerstätte Eckfelder Maar*, Mainzer Naturwiss. Archiv, Beiheft 16: 177-187

WINK C.S. & ELSEY R.M. (1986): Changes in Femoral Morphology During Egg-laying in *Alligator mississippiensis*. *J.Morph.* 189: 183-188

WINK C.S., ELSEY R.M. & HILL E.M. (1995): Changes in Femoral Robusticity and Porosity During the Reproductive Cycle of the Female Alligator (*Alligator mississippiensis*). *J.Morph.* 193: 317-321

WITMER L.M. (1995): Homology of Facial Structures in Extant Archosaurs (Birds and Crocodylians), With Special Reference to Paranasal Pneumaticity and Nasal Conchae. *J.Morph.* 225: 269-327

WOERDEMAN M.W. (1919): Beiträge zur Entwicklungsgeschichte von Zähnen und Gebiss der Reptilien - Beitrag I: Die Anlage und Entwicklung des embryonalen Gebisses als Ganzes und seine Beziehung zur Zahnleiste. *Arch.mikr.Anat. Abt.1 92*: 104-182

WOERDEMAN M.W. (1919): Beiträge zur Entwicklungsgeschichte von Zähnen und Gebiss der Reptilien - Beitrag II: Über die Anlage des Ersatzgebisses und den Zahnwechsel (Distichie- und Matrix-Theorie). *Arch.mikr.Anat. Abt.1 92*: 183-230

WOEDERMAN M.W. (1919): Beiträge zur Entwicklungsgeschichte von Zähnen und Gebiss der Reptilien - Beitrag III: Über den Eizahn. *Arch.mikr.Anat. Abt.1 92*: 231-244

WOERDEMAN M.W. (1921): Beiträge zur Entwicklungsgeschichte von Zähnen und Gebiss der Reptilien - Beitrag IV: Über die Anlage und Entwicklung der Zähne. *Arch.mikr.Anat. Abt.1 95*: 265-395

WOERDEMAN M.W. (1921): Beiträge zur Entwicklungsgeschichte von Zähnen und Gebiss der Reptilien - Beitrag V: Über die Beziehungen der Mundhöhlendrüsen zum Zahnsystem. *Arch.mikr.Anat. Abt.1 95*: 396-413

WU X.-C. & SUES H.-D. (1995): New basal crocodyliform reptiles from the Upper Jurassic and ?Lower Cretaceous of China: implications for the monophyly of Protosuchia. *J.Vert.Paleont.* 15(3, Suppl.): 61A

WU X.-C. & SUES H.-D. (1996): Reassessment of *Platygnathus hsui* Young, 1944 (Archosauria: Crocodyliformes) from the Lower Lufeng Formation (Lower Jurassic) of Yunnan, China. *J.Vert.Paleont.* 16(1): 42-48

WU X.-C. & SUES H.-D. (1996): Anatomy and phylogenetic relationships of *Chimaerasuchus paradoxus*, an unusual crocodyliform reptile from the Lower Cretaceous of Hubei, China. *J.Vert.Paleont.* 16(4): 688-702

WU X.-C., SUES H.-D. & DONG Z.-M. (1997): *Sichuanosuchus shuhanensis*, a new ?Early Cretaceous protosuchian (Archosauria: Crocodyliformes) from Sichuan (China), and the monophyly of Protosuchia. *Journal of Vertebrate Paleontology* 17(1): 89-103

WU X., SUES H.-D. & SUN A. (1995): A plant-eating crocodylian reptile from the Cretaceous of China. *Nature* 376: 678-680

WU X.. & BRINKMAN D.B. (1993): A new crocodylomorph of "mesosuchian" grade from the Upper Cretaceous Upper Milk River Formation, Southern Alberta. *J.Vert.Paleont.* 13(2): 153-160

ZUG G.R. (1993): *Herpetology*. Academic Press, San Diego, 527pp.